Author Index to Volume 53 (1993)

Abad, F., see Feria, M. (53) 287
Abraham, C., see Swanston, M. (53) 347
Abreu, P., see Feria, M. (53) 287
Allan, S., see MacDonald, N. (53) 353
Althoff, P.H., see Schmidt, K. (53) 223
Amakawa, K., see Nagaro, T. (53) 205
Arai, T., see Nagaro, T. (53) 205
Arendt-Nielsen, L., see Dahl, J.B. (53) 43
Arendt-Nielsen, L., see Sindrup, S.H. (53) 335
Atkinson, J.H., see Weickgenant, A.L. (53) 95
Aumentado, D., see Fromm, G.H. (53) 265

Backonja, M. and Howland, E.W.
Comments on Veerasarn and Stohler, PAIN, 49 (1992) 349–360 and Chen et al. PAIN, 37 (1989) 129–141 (53) 112
Beese, A. and Morley, S.
Memory for acute pain experience is specifically inaccurate but generally reliable (53) 183
Black, A., see Chrubasik, J. (53) 237
Blount, R.L., see Fanurik, D. (53) 213
Bovin, G. and Sand, T.
Reply to the letter from P. Procacci (53) 112
Brennum, J., see Dahl, J.B. (53) 43
Bromm, B., see Meier, W. (53) 175
Brøsen, K., see Sindrup, S.H. (53) 335
Bush, F.M., Harkins, S.W., Harrington, W.G. and Price, D.D.
Analysis of gender effects on pain perception and symptom presentation in temporomandibular pain (53) 73

Campbell, E., see Perkins, M.N. (53) 191
Casale, R., see Glynn, C. (53) 33
Casale, R., see Glynn, C.J. (53) 39
Champion, P., see MacDonald, N. (53) 353
Chen, A.C.N.
Reply to the letter of M. Backonja and W. Howland (53) 113
Cherry, D.A. and Gourlay, G.K.
Reply to Q. Hogan, PAIN, 52 (1993) 371–372 (53) 111
Chrubasik, J., Martin, E., Chrubasik, S., Friedrich, G. and Black, A.
Epidural opioids for treatment of acute pain: a question of dose? (53) 237
Chrubasik, S., see Chrubasik, J. (53) 237
Chung, J.M., Paik, K.S., Kim, J.S., Nam, S.C., Kim, K.J., Oh, U.T., Hasegawa, T., Chung, K. and Willis, W.D.
Chronic effects of topical application of capsaicin to the sciatic nerve on responses of primate spinothalamic neurons (53) 311
Chung, K., see Chung, J.M. (53) 311
Coghill, R.C., Mayer, D.J. and Price, D.D.
The roles of spatial recruitment and discharge frequency in spinal cord coding of pain: a combined electrophysiological and imaging investigation (53) 295
Cole, J.D., see Treede, R.-D. (53) 169
Collins, P.A., see Glynn, C.J. (53) 39
Courteix, C., Eschalier, A. and Lavarenne, J.
Streptozocin-induced diabetic rats: behavioural evidence for a model of chronic pain (53) 81
Crea, F., see Pappagallo, M. (53) 199

Dahl, J.B., Brennum, J., Arendt-Nielsen, L., Jensen, T.S. and Kehlet, H.
The effect of pre- versus postinjury infiltration with lidocaine on thermal and mechanical hyperalgesia after heat injury to the skin (53) 43
Der, L., see MacDonald, N. (53) 353
Desmeules, J.A., Kayser, V. and Guilbaud, G.
Selective opioid receptor agonists modulate mechanical allodynia in an animal model of neuropathic pain (53) 277
Dickenson, A.H., see Hewett, K. (53) 59
Dos Reis, M.P., see Pereira, I.T. (53) 341
Dray, A., see Perkins, M.N. (53) 191

Edwards, W.T., see Ready, L.B. (53) 238
Elder, L., see Swanston, M. (53) 347
Eschalier, A., see Courteix, C. (53) 81

Fanurik, D., Zeltzer, L.K., Roberts, M.C. and Blount, R.L.
The relationship between children's coping styles and psychological interventions for cold pressor pain (53) 213
Feria, M., Abad, F., Sánchez, A. and Abreu, P.
Magnesium sulphate injected subcutaneously suppresses autotomy in peripherally deafferented rats (53) 287
France, J.L., see Holroyd, K.A. (53) 229
Friedrich, G., see Chrubasik, J. (53) 237
Fromm, G.H., Aumentado, D. and Terrence, C.F.
A clinical and experimental investigation of the effects of tizanidine in trigeminal neuralgia (53) 265

Garfin, S.R., see Weickgenant, A.L. (53) 95
Gaspardone, A., see Pappagallo, M. (53) 199
Gautron, M., see Guilbaud, G. (53) 147
Gear, R.W., see Gordon, N.C. (53) 273
Gioffré, P.A., see Pappagallo, M. (53) 199
Gittelman, D.F., see Toomey, T.C. (53) 105
Glynn, C. and Casale, R.
Morphine injected around the stellate ganglion does not modulate the sympathetic nervous system nor does it provide pain relief (53) 33
Glynn, C.J., Stannard, C., Collins, P.A. and Casale, R.
The role of peripheral sudomotor blockade in the treatment of patients with sympathetically maintained pain (53) 39
Gordh, T., see Kristensen, J.D. (53) 359
Gordon, N.C., Heller, P.H., Gear, R.W. and Levine, J.D.
Temporal factors in the enhancement of morphine analgesia by desipramine (53) 273
Gourlay, G.K., see Cherry, D.A. (53) 111
Gram, L.F., see Sindrup, S.H. (53) 335
Grant, I., see Weickgenant, A.L. (53) 95
Green, B.G. and Shaffer, G.S.
The sensory response to capsaicin during repeated topical exposures: differential effects on sensations of itching and pungency (53) 323
Guilbaud, G., Gautron, M., Jazat, F., Ratinahirana, H., Hassig, R. and Hauw, J.J.
Time course of degeneration and regeneration of myelinated

nerve fibres following chronic loose ligatures of the rat sciatic nerve: can nerve lesions be linked to the abnormal pain-related behaviours? (53) 147
Guilbaud, G., see Desmeules, J.A. (53) 277

Harkins, S.W., see Bush, F.M. (53) 73
Harrington, W.G., see Bush, F.M. (53) 73
Harris, A.G., see Schmidt, K. (53) 223
Hasegawa, T., see Chung, J.M. (53) 311
Hassig, R., see Guilbaud, G. (53) 147
Hauw, J.J., see Guilbaud, G. (53) 147
Heim, H.M. and Oei, P.S.
Comparison of prostate cancer patients with and without pain (53) 159
Heller, P.H., see Gordon, N.C. (53) 273
Hernandez, J.T., see Toomey, T.C. (53) 105
Hewett, K., Dickenson, A.H. and McQuay, H.J.
Lack of effect of morphine-3-glucuronide on the spinal antinociceptive actions of morphine in the rat: an electrophysiological study (53) 59
Hole, K. and Tjølsen, A.
The tail-flick and formalin tests in rodents: changes in skin temperature as a confounding factor (53) 247
Hole, K., see Tjølsen, A. (53) 237
Holroyd, K.A., France, J.L., Nash, J.M. and Hursey, K.G.
Pain state as artifact in the psychological assessment of recurrent headache sufferers (53) 229
Howland, E.W., see Backonja, M. (53) 112
Hulka, J.F., see Toomey, T.C. (53) 105
Hursey, K.G., see Holroyd, K.A. (53) 229

Iamele, M., see Pappagallo, M. (53) 199

Jazat, F., see Guilbaud, G. (53) 147
Jensen, T.S., see Dahl, J.B. (53) 43

Katz, J.
George Washington Crile, anoci-association, and pre-emptive analgesia (53) 243
Kayser, V., see Desmeules, J.A. (53) 277
Kehlet, H., see Dahl, J.B. (53) 43
Kest, B., see Mogil, J.S. (53) 17
Kim, J.S., see Chung, J.M. (53) 311
Kim, K.J., see Chung, J.M. (53) 311
Kimura, S., see Nagaro, T. (53) 205
Klucken, M., see Meier, W. (53) 175
Koltzenburg, M., Lundberg, L.E.R. and Torebjörk, H.E.
Dynamic and static components of mechanical hyperalgesia in human hairy stein (53) 363
Kristensen, J.D. and Gordh, T.
Reply to the letter of Drs. Øye and Drs. Mathisen (53) 359
Kroin, J.S., see Penn, R.D. (53) 361

Labrecque, G., see Vanier, M.-C. (53) 27
Lamontagne, C., see Vanier, M.-C. (53) 27
Lautenbacher, S. and Rollman, G.B.
Sex differences in responsiveness to painful and non-painful stimuli are dependent upon the stimulation method (53) 255
Lavarenne, J., see Courteix, C. (53) 81
Lee, H.K., see Lin, J.C. (53) 53
Leino, P. and Magni, G.
Depressive and distress symptoms as predictors of low back pain, neck-shoulder pain, and other musculoskeletal morbidity: a 10-year follow-up of metal industry employees (53) 89
Lepage-Savary, D., see Vanier, M.-C. (53) 27
Leskowitz, E. and Wall, P.D.
Comments on P.D. Wall, *PAIN*, 51 (1992) 1–3 (53) 115
Levine, J.D., see Gordon, N.C. (53) 273
Liebeskind, J.C., see Mogil, J.S. (53) 17
Lin, J.C., Tsao, W.L., Lee, H.K. and Wang, Y.
Dissociation of hypertension and enhanced clonidine-induced antinociception in spontaneously hypertensive rats (53) 53
Luchini, S.R., see Magni, G. (53) 163
Lundberg, L.E.R., see Koltzenburg, M. (53) 363

MacDonald, N., Der, L., Allan, S. and Champion, P.
Opioid hyperexcitability: the application of alternate opioid therapy (53) 353
Macrae, W.A., see Swanston, M. (53) 347
Magni, G., Marchetti, M., Moreschi, C., Merskey, H. and Luchini, S.R.
Chronic musculoskeletal pain and depressive symptoms in the National Health and Nutrition Examination I. Epidemiologic follow-up survey (53) 163
Magni, G., see Leino, P. (53) 89
Marchetti, M., see Magni, G. (53) 163
Marek, P., see Mogil, J.S. (53) 17
Martin, E., see Chrubasik, J. (53) 237
Mathisen, L.C., see Øye, I. (53) 358
Mayer, D.J., see Coghill, R.C. (53) 295
McQuay, H.J., see Hewett, K. (53) 59
Meier, W., Klucken, M., Soyka, D. and Bromm, B.
Hypnotic hypo- and hyperalgesia: divergent effects on pain ratings and pain-related cerebral potentials (53) 175
Melzack, R.
Labour pain as a model of acute pain (53) 117
Mercadante, S.
Is intrathecal octreotide analgesic or what? (53) 360
Merskey, H., see Magni, G. (53) 163
Methven, H., see Swanston, M. (53) 347
Millar, J., O'Brien, F.E., Williams, G.V. and Wood, J.
The effects of iontophoretic clonidine on neurones in the rat superficial dorsal horn (53) 137
Mogil, J.S., Sternberg, W.F., Kest, B., Marek, P. and Liebeskind, J.C.
Sex differences in the antagonism of swim stress-induced analgesia: effects of gonadectomy and estrogen replacement (53) 17
Moreschi, C., see Magni, G. (53) 163
Morley, S., see Beese, A. (53) 183

Nagaro, T., Amakawa, K., Kimura, S. and Arai, T.
Reference of pain following percutaneous cervical cordotomy (53) 205
Nam, S.C., see Chung, J.M. (53) 311
Nash, J.M., see Holroyd, K.A. (53) 229
Neoh, C.-A.
More about the formalin test (53) 237

O'Brien, F.E., see Millar, J. (53) 137
Oei, P.S., see Heim, H.M. (53) 159
Oh, U.T., see Chung, J.M. (53) 311
Øye, I. and Mathisen, L.C.
The effect of CPP in neurogenic pain: inhibition of spinal or cortical NMDA receptors? (53) 358

Paice, J.A., see Penn, R.D. (53) 361
Paik, K.S., see Chung, J.M. (53) 311
Pappagallo, M., Gaspardone, A., Tomai, F., Iamele, M., Crea, F. and Gioffré, P.A.
Analgesic effect of bamiphylline on pain induced by intradermal injection of adenosine (53) 199
Patterson, T.L., see Weickgenant, A.L. (53) 95
Penn, R.D., Paice, J.A. and Kroin, J.S.
Response to Dr. Mercadante (53) 361

Pereira, I.T., Prado, W.A. and Dos Reis, M.P.
Enhancement of the epidural morphine-induced analgesia by systemic nifedipine (53) 341
Perkins, M.N., Campbell, E. and Dray, A.
Antinociceptive activity of the bradykinin B_1 and B_2 receptor antagonists, des-Arg^9, [Leu^8]-BK and HOE 140, in two models of persistent hyperalgesia in the rat (53) 191
Plummer, J.L.
Analysis of variance in the study of drug interactions (53) 358
Poulin, É., see Vanier, M.-C. (53) 27
Poulsen, L., see Sindrup, S.H. (53) 335
Prado, W.A., see Pereira, I.T. (53) 341
Prestele, H., see Schmidt, K. (53) 223
Price, D.D., see Bush, F.M. (53) 73
Price, D.D., see Coghill, R.C. (53) 295
Procacci, P.
Comments on G. Bovim and T. Sand, Pain, 51 (1992) 43–48 (53) 111
Provencher, L., see Vanier, M.-C. (53) 27

Rasmussen, B.K.
Migraine and tension-type headache in a general population: precipitating factors, female hormones, sleep pattern and relation to lifestyle (53) 65
Ratinahirana, H., see Guilbaud, G. (53) 147
Ready, L.B. and Edwards, W.T.
Reply to Chrubasik et al. (53) 238
Rees, H. and Roberts, M.H.T.
The anterior pretectal nucleus: a proposed role in sensory processing (53) 121
Roberts, M.C., see Fanurik, D. (53) 213
Roberts, M.H.T., see Rees, H. (53) 121
Rollman, G.B., see Lautenbacher, S. (53) 255
Ruda, M.A.
Gender and pain (53) 1
Rudy, T.E., see Turk, D.C. (53) 3
Rushmer, R., see Swanston, M. (53) 347

Sánchez, A., see Feria, M. (53) 287
Sand, T., see Bovin, G. (53) 112
Schmidt, K., Althoff, P.H., Harris, A.G., Prestele, H., Schumm-Draeger, P.M. and Usadel, K.H.
Analgesic effect of the somatostatin analogue octreotide in two acromegalic patients: a double-blind study with long-term follow-up (53) 223
Schumm-Draeger, P.M., see Schmidt, K. (53) 223
Shaffer, G.S., see Green, B.G. (53) 323
Sindrup, S.H., Poulsen, L., Brøsen, K., Arendt-Nielsen, L. and Gram, L.F.
Are poor metabolisers of sparteine/debrisoquine less pain tolerant than extensive metabolisers? (53) 335
Slater, M.A., see Weickgenant, A.L. (53) 95
Sorkin, B.A., see Turk, D.C. (53) 3
Soyka, D., see Meier, W. (53) 175
Stannard, C., see Glynn, C.J. (53) 39
Sternberg, W.F., see Mogil, J.S. (53) 17
Stohler, C.S.
Response to M. Backonja and W. Howland (53) 114
Swanston, M., Abraham, C., Macrae, W.A., Walker, A., Rushmer, R., Elder, L. and Methven, H.
Pain assessment with interactive computer animation (53) 347

Tallarida, R.J.
Statistical analysis of drug combinations for synergism (53) 365
Terrence, C.F., see Fromm, G.H. (53) 265
Tjølsen, A. and Hole, K.
Reply to C.-A. Neoh (53) 237
Tjølsen, A., see Hole, K. (53) 247
Tomai, F., see Pappagallo, M. (53) 199
Toomey, T.C., Hernandez, J.T., Gittelman, D.F. and Hulka, J.F.
Relationship of sexual and physical abuse to pain and psychological assessment variables in chronic pelvic pain patients [1] (53) 105
Torebjörk, H.E., see Koltzenburg, M. (53) 363
Treede, R.-D. and Cole, J.D.
Dissociated secondary hyperalgesia in a subject with a large-fibre sensory neuropathy (53) 169
Tsao, W.L., see Lin, J.C. (53) 53
Turk, D.C., Rudy, T.E. and Sorkin, B.A.
Neglected topics in chronic pain treatment outcome studies: determination of success (53) 3

Usadel, K.H., see Schmidt, K. (53) 223

Vanier, M.-C., Labrecque, G., Lepage-Savary, D., Poulin, É., Provencher, L. and Lamontagne, C.
Comparison of hydromorphone continuous subcutaneous infusion and basal rate subcutaneous infusion plus PCA in cancer pain: a pilot study (53) 27

Walker, A., see Swanston, M. (53) 347
Wall, P.D.
Reply to Dr. Leskowitz (53) 115
Wall, P.D., see Leskowitz, E. (53) 115
Wang, Y., see Lin, J.C. (53) 53
Weickgenant, A.L., Slater, M.A., Patterson, T.L., Atkinson, J.H., Grant, I. and Garfin, S.R.
Coping activities in chronic low back pain: relationship with depression (53) 95
Williams, G.V., see Millar, J. (53) 137
Willis, W.D., see Chung, J.M. (53) 311
Wood, J., see Millar, J. (53) 137

Zeltzer, L.K., see Fanurik, D. (53) 213